

09/390,141

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	'Esterel' and 'compiler' and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:23
S2	216	((combin\$5 near2 compiler) or (multiple near2 compiler)) and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:37
S3	0	((combin\$5 near2 compiler) or (multiple near2 compiler)) and 'parse' and ((split or seperate) same merg\$3) and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 13:27
S4	1	((combin\$5 near2 compiler) or (multiple near2 compiler)) and 'parse' and 'merge' and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:31
S5	16	((combin\$5 near2 compiler) or (multiple near2 compiler)) and 'parse' and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:32
S6	228	((combin\$5 near2 compiler) or (multiple near2 compiler) or ('hybrid language')) and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:01
S7	0	((('hybrid language') near2 compiler) and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:38
S8	0	('hybrid language' near2 compiler) and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:38

S9	8	('hybrid language') and 'compiler' and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:42
S10	0	((('hybrid language'.ab.) or ('hybrid language'.ti.)) and 'compiler' and 'languages' and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:43
S12	7	((combin\$5 near2 compiler) or (multiple near2 compiler) or ('hybrid language')) and 'compiler' and 'languages' and 717/140.ccls. and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 14:52
S13	62	((combin\$5 near2 compiler) or (multiple near2 compiler) or ('hybrid language')) and 'compiler' and 'languages' and pars\$3 and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 15:08
S14	44	((combin\$5 near2 compiler) or ((multiple near2 language) near2 compiler) or ('hybrid language')) and 'compiler' and 'languages' and pars\$3 and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/02 15:13
S17	281	((combin\$5 near2 languag\$2) or (multi near2 language) or ('hybrid language') or (mix\$2 near2 language)) and 'compiler' and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:13
S18	9	((combin\$5 near2 languag\$2) or (multi near2 language) or ('hybrid language') or (mix\$2 near2 language)) and 'compiler' and 717/140.ccls. and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:03

S19	51	((combin\$5 near2 languag\$2) or (multi near2 language) or ('hybrid language') or (mix\$2 near2 language)) and 'compiler' and 'split' and 'parse' and (@ad<"19990903" or @rlad<"19990903" or @prad<"19990903")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:42
S25	65	'multilanguage'.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:48
S26	4	'multilanguage optimizing'.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/03 11:48